

## Pulmonary regurgitation in congenital heart disease (ht75234)

Rajiv R Chaturvedi, Andrew N Redington

### Web only references

1. Garty Y, Veldtman G, Lee K, *et al.* Late outcomes after pulmonary valve balloon dilatation in neonates, infants and children. *J Invasive Cardiol* 2005;17:318–322.
2. Roos-Hesselink TW, Meijboom FJ, Spitaels SE, *et al.* Long-term outcome after surgery for pulmonary stenosis (a longitudinal study of 22–33 years). *Eur Heart J* 2006;27:482–488.
3. Kirklin JW, Wallace RB, McGoon DC, *et al.* Early and late results after intracardiac repair of tetralogy of Fallot. five-year review of 337 patients. *Ann Surg* 1965;162:578–589.
4. Jones EL, Conti CR, Neill CA, *et al.* Long-term evaluation of tetralogy patients with pulmonary valvular insufficiency resulting from outflow-patch correction across the pulmonic annulus. *Circulation* 1973;48(suppl III):11–18.
5. Lillehei CW, Levy MJ, Adams P, *et al.* Corrective surgery for Tetralogy of Fallot. Long-term follow-up by post-operative recatheterization in 69 cases and certain surgical considerations. *J Thorac Cardiovasc Surg* 1964;48:556–576.
6. Castaneda AR, Sade RM, Lamberti J, *et al.* Reoperation for residual defects after repair of tetralogy of Fallot. *Surgery* 1974;76:1010–1017.
7. Miller DC, Rossiter SJ, Stinson SJ, *et al.* Late right heart reconstruction following repair of tetralogy of fallot. *Ann Thorac Surg* 1979;28:239–251.
8. Uretzky G, Puga FJ, Danielson GK, *et al.* Reoperation after correction of tetralogy of Fallot. *Circulation* 1982;66:I202–I208.
9. Furuse A, Mizuno A, Shindo G, *et al.* Pulmonary regurgitation following total correction of tetralogy of Fallot. *Jpn Heart J* 1977;18:621–628.
10. Misbach GA, Turley K, Ebert PA. Pulmonary valve replacement for regurgitation after repair of tetralogy of Fallot. *Ann Thorac Surg* 1983;36:684–691.
11. Shaher RM, Foster E, Farina M, *et al.* Right heart reconstruction following repair of tetralogy of Fallot. *Ann Thorac Surg* 1983;35:421–426.
12. Oku H, Shirontani H, Sunakawa A, *et al.* Postoperative long-term results in total correction of tetralogy of Fallot: hemodynamics and cardiac function. *Ann Thorac Surg* 1986;41:413–418.
13. Pigula FA, Khalil PN, Mayer JE, *et al.* Repair of tetralogy of Fallot in neonates and young infants. *Circulation* 1999;100(suppl 2):157–161.
14. Hennein HA, Mosca RS, Urecelay G, *et al.* Intermediate results after complete repair of tetralogy of Fallot in neonates. *J Thorac Cardiovasc Surg* 1995;109:332–342.
15. Parry AJ, McElhinney DB, Kung GC, *et al.* Elective primary repair of acyanotic tetralogy of Fallot in early infancy: overall outcome and impact on the pulmonary valve. *J Am Coll Cardiol* 2000;36:2279–2283.
16. Sousa Uva M, Lacour-Gayet F, Komiya T, *et al.* Surgery for tetralogy of Fallot at less than six months of age. *J Thorac Cardiovasc Surg* 1994;107:1291–1300.

17. Gale AW, Arciniegas E, Green EW, *et al*. Growth of the pulmonary anulus and pulmonary arteries after the Blalock-Taussig shunt. *J Thorac Cardiovasc Surg* 1979;**77**:459–465.
18. Sabiston DC, Cornell WP, Criley JM, *et al*. The diagnosis and surgical correction of total obstruction of the right ventricle. An acquired condition developing after systemic artery-pulmonary artery anastomosis for tetralogy of Fallot. *J Thorac Cardiovasc Surg* 1964;**48**:577–587.
19. Kreutzer J, Perry SB, Jonas RA, *et al*. Tetralogy of Fallot with diminutive pulmonary arteries: preoperative pulmonary valve dilation and transcatheter rehabilitation of pulmonary arteries. *J Am Coll Cardiol* 1996;**27**:1741–1747.
20. Kanter KR, Budde JM, Parks WJ, *et al*. One hundred pulmonary valve replacements in children after relief of right ventricular outflow tract obstruction. *Ann Thorac Surg* 2002;**73**:1801–1806.
21. Shekerdemian LS, Bush A, Shore DF, *et al*. Cardiorespiratory responses to negative pressure ventilation after tetralogy of Fallot repair: a hemodynamic tool for patients with a low-output state. *J Am Coll Cardiol* 1999;**33**:549–555.
22. Krayenbuehl HP, Hess OM, Monrad ES, *et al*. Left ventricular myocardial structure in aortic valve disease before, intermediate and late after aortic valve replacement. *Circulation* 1989;**79**:744–755.
23. Villari B, Campbell SE, Hess OM, *et al*. Influence of collagen network on left ventricular systolic and diastolic function in aortic valve disease. *J Am Coll Cardiol* 1993;**22**:1477–1484.
24. Villari B, Vassalli ES, Monrad G, *et al*. Normalization of diastolic dysfunction in aortic stenosis late after valve replacement. *Circulation* 1995;**78**:66–71.
25. Wiener CM, McKenna WJ, Myers MJ, *et al*. Left lower lobe ventilation is reduced in patients with cardiomegaly in the supine but not the prone position. *Am Rev Respir Dis* 1990;**141**:150–155.
26. Wessel HU, Weiner MD, Paul MH, *et al*. Lung function in tetralogy of Fallot after intracardiac repair. *J Thorac Cardiovasc Surg* 1981;**82**:616–628.
27. Li W, Davlouros PA, Kilner PJ, *et al*. Doppler-echocardiographic assessment of pulmonary regurgitation in adults with repaired tetralogy of Fallot: comparison with cardiovascular magnetic resonance imaging. *Am Heart J* 2004;**147**:165–172.
28. Gray R, Greve G, Chen R, *et al*. Right ventricular myocardial responses to chronic pulmonary regurgitation in lambs: disturbances of activation and conduction. *Pediatr Res* 2003;**54**:529–535.
29. El Rahman MYA, Hui W, Yigitbasi M, *et al*. Detection of left ventricular asynchrony in patients with right bundle branch block after repair of tetralogy of Fallot using tissue-doppler imaging-derived strain. *J Am Coll Cardiol* 2005;**45**:915–921.
30. Yu CM, Chau E, Sanderson JE, *et al*. Tissue doppler echocardiographic evidence of reverse remodeling and improved synchronicity by simultaneously delaying regional contraction after biventricular pacing therapy in heart failure. *Circulation* 2002;**105**:438–445.
31. Carvalho JS, Shinebourne EA, Busst C, *et al*. Exercise capacity after complete repair of tetralogy of Fallot: deleterious effects of residual pulmonary regurgitation. *Br Heart J* 1992;**67**:470–473.

32. Norgard G, Bjorkhaug A, Vik-Mo H. Effects of impaired lung function and pulmonary regurgitation on maximal exercise capacity in patients with repaired tetralogy of Fallot. *Eur Heart J* 1992;13:1380–1386.
33. Marie PY, Marcon F, Brunotte F, et al. Right ventricular overload and induced sustained ventricular tachycardia in operatively “repaired” tetralogy of Fallot. *Am J Cardiol* 1992;69:785–789.
34. Dietl CA, Cazzaniga ME, Dubner SJ, et al. Life-threatening arrhythmias and RV dysfunction after surgical repair of tetralogy of Fallot. Comparison between transventricular and transatrial approaches. *Circulation* 1994;90(suppl II):7–12.
35. Kirklin JK, Kirklin JW, Blackstone EH, et al. Effect of transannular patching on outcome after repair of tetralogy of Fallot. *Ann Thorac Surg* 1989;48:783–791.
36. Powell AJ, Lock JE, Keane JF, et al. Prolongation of RV-PA conduit life span by percutaneous stent implantation. intermediate-term results. *Circulation* 1995;92:3282–3288.
37. Ovaert C, Calderone C, McCrindle BW, et al. Endovascular stent implantation for the management of postoperative right ventricular outflow tract obstruction: clinical efficacy. *J Thorac Cardiovasc Surg* 1999;118:886–893.
38. Alfakih K, Thiele H, Plein S, et al. Comparison of right ventricular volume measurement between segmented k-space gradient-echo and steady-state free precession magnetic resonance imaging. *J Magn Reson Imaging* 2002;16:253–258.
39. Jauhainen T, Jarvinen VM, Hekali PE. Evaluation of methods for MR imaging of human right ventricular heart volumes and mass. *Acta Radiol* 2002;43:587–592.
40. Grothues F, Moon JC, Bellenger NG, et al. Interstudy reproducibility of right ventricular volumes, function, and mass with cardiovascular magnetic resonance. *Am Heart J* 2004;147:218–223.
41. D’Udekem Y, Pasquet A, Lebreux L, et al. Does right ventricular outflow tract damage play a role in the genesis of late right ventricular dilatation after Tetralogy of Fallot repair? *Ann Thorac Surg* 2003;76:555–561.
42. Eyskens B, Reybrouck T, Bogaert J, et al. Homograft insertion for pulmonary regurgitation after repair of tetralogy of Fallot improves cardiorespiratory exercise performance. *Am J Cardiol* 2000;85:221–225.
43. Moazami N, Pasque MK, Moon MR, et al. Mechanical support for isolated right ventricular failure in patients after cardiotomy. *J Heart Lung Transplant* 2004;23:1371–1375.
44. Siegenthaler MP, Westaby S, Frazier OH, et al. Advanced heart failure: feasibility study of long-term continuous axial flow pump support. *Eur Heart J* 2005;26:1031–1038.
45. Hijazi ZM. Transcatheter valve replacement: a new era of percutaneous cardiac intervention begins. *J Am Coll Cardiol* 2004;43:1088–1089.
46. Bonhoeffer P, Boudjemline Y, Saliba Z, et al. Percutaneous replacement of pulmonary valve in a right-ventricle to pulmonary-artery prosthetic conduit with valve dysfunction. *Lancet* 2000;356:1403–1405.
47. Bonhoeffer P, Boudjemline Y, Saliba Z, et al. Transcatheter implantation of a bovine valve in pulmonary position: a lamb study. *Circulation* 2000;102:813–816.
48. Bonhoeffer P, Boudjemline Y, Qureshi SA, et al. Percutaneous insertion of the pulmonary valve. *J Am Coll Cardiol* 2002;39:1664–1669.

49. Coats L, Tsang V, Khambadkone S, *et al*. The potential impact of percutaneous pulmonary valve stent implantation on right ventricular outflow tract re-intervention. *Eur J Cardiothorac Surg* 2005;27:536–543.
50. Khambadkone S, Bonhoeffer P. Nonsurgical pulmonary valve replacement: why, when and how? *Catheterization and Cardiovascular Interventions* 2004;62:401–408.
51. Boudjemline Y, Agnoletti G, Bonnet D, *et al*. Percutaneous pulmonary valve replacement in a large right ventricular outflow tract. An experimental study. *J Am Coll Cardiol* 2004;43:1082–1087.
52. Cullen S, Celermajer DS, Franklin RC, *et al*. Prognostic significance of ventricular arrhythmias after repair of tetralogy of Fallot: a 12 year prospective study. *J Am Coll Cardiol* 1994;23:1151–1155.
53. Gatzoulis MA, Till JA, Redington AN. Depolarization-repolarization inhomogeneity after repair of tetralogy of Fallot. The substrate for malignant ventricular tachycardia? *Circulation* 1997;95:401–404.
54. Khairy P, Landzberg MJ, Gatzoulis MA, *et al*. Value of programmed ventricular stimulation after tetralogy of Fallot repair. A multicenter study. *Circulation* 2004;109:1994–2000.
55. Dubin AM, Feinstein JA, Reddy VM, *et al*. Electrical resynchronization. A novel therapy for the failing right ventricle. *Circulation* 2003;107:2287–2289.
56. van Huysduynen BH, van Straten A, Swenne CA, *et al*. Reduction of QRS duration after pulmonary valve replacement in adult Fallot patients is related to reduction of right ventricular volume. *Eur Heart J* 2005;26:928–932.